

Lineage-Linked GEDCOM Form's grammar 5.5
LDS/PDF version, dated 2 January 1996

LINEAGE_LINKED_GEDCOM:=
0 <<HEADER>> {1:1}
0 <<SUBMISSION_RECORD>> {0:1}
0 <<RECORD>> {1:M}
0 TRLR {1:1}

HEADER:=
n HEAD {1:1}
+1 SOUR <APPROVED_SYSTEM_ID> {1:1}
+2 VERS <VERSION_NUMBER> {0:1}
+2 NAME <NAME_OF_PRODUCT> {0:1}
+2 CORP <NAME_OF_BUSINESS> {0:1}
+3 <<ADDRESS_STRUCTURE>> {0:1}
+2 DATA <NAME_OF_SOURCE_DATA> {0:1}
+3 DATE <PUBLICATION_DATE> {0:1}
+3 COPR <COPYRIGHT_SOURCE_DATA> {0:1}
+1 DEST <RECEIVING_SYSTEM_NAME> {0:1*}
+1 DATE <TRANSMISSION_DATE> {0:1}
+2 TIME <TIME_VALUE> {0:1}
+1 SUBM @XREF:SUBM@ {1:1}
+1 SUBN @XREF:SUBN@ {0:1}
+1 FILE <FILE_NAME> {0:1}
+1 COPR <COPYRIGHT_GEDCOM_FILE> {0:1}
+1 GEDC {1:1}
+2 VERS <VERSION_NUMBER> {1:1}
+2 FORM <GEDCOM_FORM> {1:1}
+1 CHAR <CHARACTER_SET> {1:1}
+2 VERS <VERSION_NUMBER> {0:1}
+1 LANG <LANGUAGE_OF_TEXT> {0:1}

Lineage-Linked GEDCOM Form's grammar 5.5
McBride/HTML version, revised 10 January 1996

LINEAGE_LINKED_GEDCOM:=
0 <<HEADER>> {1:1}
0 <<SUBMISSION_RECORD>> {0:1}
0 <<RECORD>> {1:M}
0 TRLR {1:1}

HEADER:=
n HEAD {1:1}
+1 SOUR <APPROVED_SYSTEM_ID> {1:1}
+2 VERS <VERSION_NUMBER> {0:1}
+2 NAME <NAME_OF_PRODUCT> {0:1}
+2 CORP <NAME_OF_BUSINESS> {0:1}
+3 <<ADDRESS_STRUCTURE>> {0:1}
+2 DATA <NAME_OF_SOURCE_DATA> {0:1}
+3 DATE <PUBLICATION_DATE> {0:1}
+3 COPR <COPYRIGHT_SOURCE_DATA> {0:1}
+1 DEST <RECEIVING_SYSTEM_NAME> {0:1*}
+1 DATE <TRANSMISSION_DATE> {0:1}
+2 TIME <TIME_VALUE> {0:1}
+1 SUBM @<XREF:SUBM>@ {1:1}
+1 SUBN @<XREF:SUBN>@ {0:1}
+1 FILE <FILE_NAME> {0:1}
+1 COPR <COPYRIGHT_GEDCOM_FILE> {0:1}
+1 GEDC {1:1}
+2 VERS <VERSION_NUMBER> {1:1}
+2 FORM <GEDCOM_FORM> {1:1}
+1 CHAR <CHARACTER_SET> {1:1}
+2 VERS <VERSION_NUMBER> {0:1}
+1 LANG <LANGUAGE_OF_TEXT> {0:1}

+1 PLAC {0:1}
+2 FORM <PLACE_HIERARCHY> {1:1}
+1 NOTE <GEDCOM_CONTENT_DESCRIPTION> {0:1}
+2 [CONT|CONC] <GEDCOM_CONTENT_DESCRIPTION> {0:M}

RECORD:=

[
n <<FAM_RECORD>> {1:1}
|
n <<INDIVIDUAL_RECORD>> {1:1}
|
n <<MULTIMEDIA_RECORD>> {1:M}
|
n <<NOTE_RECORD>> {1:1}
|
n <<REPOSITORY_RECORD>> {1:1}
|
n <<SOURCE_RECORD>> {1:1}
|
n <<SUBMITTER_RECORD>> {1:1}
]

FAM_RECORD:=

n @<XREF:FAM>@ FAM {1:1}
+1 <<FAMILY_EVENT_STRUCTURE>> {0:M}
+2 HUSB {0:1}
+3 AGE <AGE_AT_EVENT> {1:1}
+2 WIFE {0:1}
+3 AGE <AGE_AT_EVENT> {1:1}
+1 HUSB @<XREF:INDI>@ {0:1}
+1 WIFE @<XREF:INDI>@ {0:1}
+1 CHIL @<XREF:INDI>@ {0:M}

+1 PLAC {0:1}
+2 FORM <PLACE_HIERARCHY> {1:1}
+1 NOTE <GEDCOM_CONTENT_DESCRIPTION> {0:1}
+2 [CONT|CONC] <GEDCOM_CONTENT_DESCRIPTION> {0:M}

RECORD:=

[
n <<FAM_RECORD>> {1:1}
|
n <<INDIVIDUAL_RECORD>> {1:1}
|
n <<MULTIMEDIA_RECORD>> {1:M}
|
n <<NOTE_RECORD>> {1:1}
|
n <<REPOSITORY_RECORD>> {1:1}
|
n <<SOURCE_RECORD>> {1:1}
|
n <<SUBMITTER_RECORD>> {1:1}
]

FAM_RECORD:=

n @<XREF:FAM>@ FAM {1:1}
+1 <<FAMILY_EVENT_STRUCTURE>> {0:M}
+2 HUSB {0:1}
+3 AGE <AGE_AT_EVENT> {1:1}
+2 WIFE {0:1}
+3 AGE <AGE_AT_EVENT> {1:1}
+1 HUSB @<XREF:INDI>@ {0:1}
+1 WIFE @<XREF:INDI>@ {0:1}
+1 CHIL @<XREF:INDI>@ {0:M}

+1 NCHI <COUNT_OF_CHILDREN> {0:1}
+1 SUBM @<XREF:SUBM>@ {0:M}
+1 <<LDS_SPOUSE_SEALING>> {0:M}
+1 <<SOURCE_CITATION>> {0:M}

+1 NCHI <COUNT_OF_CHILDREN> {0:1}
+1 SUBM @<XREF:SUBM>@ {0:M}
+1 <<LDS_SPOUSE_SEALING>> {0:M}
+1 <<SOURCE_CITATION>> {0:M}

+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

+2 <<NOTE_STRUCTURE>> {0:M}
+2 <<MULTIMEDIA_LINK>> {0:M}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

INDIVIDUAL_RECORD:=

n @XREF:INDI@ INDI {1:1}
+1 RESN <RESTRICTION_NOTICE> {0:1}
+1 <<PERSONAL_NAME_STRUCTURE>> {0:M}
+1 SEX <SEX_VALUE> {0:1}
+1 <<INDIVIDUAL_EVENT_STRUCTURE>> {0:M}
+1 <<INDIVIDUAL_ATTRIBUTE_STRUCTURE>> {0:M}
+1 <<LDS_INDIVIDUAL_ORDINANCE>> {0:M}
+1 <<CHILD_TO_FAMILY_LINK>> {0:M}
+1 <<SPOUSE_TO_FAMILY_LINK>> {0:M}
+1 SUBM @<XREF:SUBM>@ {0:M}
+1 <<ASSOCIATION_STRUCTURE>> {0:M}
+1 ALIA @<XREF:INDI>@ {0:M}
+1 ANCI @<XREF:SUBM>@ {0:M}
+1 DESI @<XREF:SUBM>@ {0:M}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 RFN <PERMANENT_RECORD_FILE_NUMBER> {0:1}

INDIVIDUAL_RECORD:=

n @<XREF:INDI>@ INDI {1:1}
+1 RESN <RESTRICTION_NOTICE> {0:1}
+1 <<PERSONAL_NAME_STRUCTURE>> {0:M}
+1 SEX <SEX_VALUE> {0:1}
+1 <<INDIVIDUAL_EVENT_STRUCTURE>> {0:M}
+1 <<INDIVIDUAL_ATTRIBUTE_STRUCTURE>> {0:M}
+1 <<LDS_INDIVIDUAL_ORDINANCE>> {0:M}
+1 <<CHILD_TO_FAMILY_LINK>> {0:M}
+1 <<SPOUSE_TO_FAMILY_LINK>> {0:M}
+1 SUBM @<XREF:SUBM>@ {0:M}
+1 <<ASSOCIATION_STRUCTURE>> {0:M}
+1 ALIA @<XREF:INDI>@ {0:M}
+1 ANCI @<XREF:SUBM>@ {0:M}
+1 DESI @<XREF:SUBM>@ {0:M}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 RFN <PERMANENT_RECORD_FILE_NUMBER> {0:1}

+1 AFN <ANCESTRAL_FILE_NUMBER> {0:1}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

MULTIMEDIA_RECORD:=

n @<XREF:OBJE>@ OBJE {1:1}
+1 FORM <MULTIMEDIA_FORMAT> {1:1}
+1 TITL <DESCRIPTIVE_TITLE> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 BLOB {1:1}
+2 CONT <ENCODED_MULTIMEDIA_LINE> {1:M}
+1 OBJE @<XREF:OBJE>@ /* chain to continued object */ {0:1}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

NOTE_RECORD:=

n @<XREF:NOTE>@ NOTE <SUBMITTER_TEXT> {1:1}
+1 [CONC | CONT] <SUBMITTER_TEXT> {0:M}
+1 <<SOURCE_CITATION>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

REPOSITORY_RECORD:=

n @<XREF:REPO>@ REPO {1:1}
+1 NAME <NAME_OF_REPOSITORY> {0:1}

+1 AFN <ANCESTRAL_FILE_NUMBER> {0:1}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

MULTIMEDIA_RECORD:=

n @<XREF:OBJE>@ OBJE {1:1}
+1 FORM <MULTIMEDIA_FORMAT> {1:1}
+1 TITL <DESCRIPTIVE_TITLE> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 <<SOURCE_CITATION>> {0:M}
+1 BLOB {1:1}
+2 CONT <ENCODED_MULTIMEDIA_LINE> {1:M}
+1 OBJE @<XREF:OBJE>@ /* chain to continued object */ {0:1}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

NOTE_RECORD:=

n @<XREF:NOTE>@ NOTE <SUBMITTER_TEXT> {1:1}
+1 [CONC | CONT] <SUBMITTER_TEXT> {0:M}
+1 <<SOURCE_CITATION>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

REPOSITORY_RECORD:=

n @<XREF:REPO>@ REPO {1:1}
+1 NAME <NAME_OF_REPOSITORY> {0:1}

+1 <<ADDRESS_STRUCTURE>> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

SOURCE_RECORD:=

n @<XREF:SOUR>@ SOUR {1:1}
+1 DATA {0:1}
+2 EVEN <EVENTS_RECORDED> {0:M}
+3 DATE <DATE_PERIOD> {0:1}
+3 PLAC <SOURCE_JURISDICTION_PLACE> {0:1}
+2 AGNC <RESPONSIBLE_AGENCY> {0:1}
+2 <<NOTE_STRUCTURE>> {0:M}
+1 AUTH <SOURCE_ORIGINATOR> {0:1}
+2 [CONT|CONC] <SOURCE_ORIGINATOR> {0:M}
+1 TITL <SOURCE_DESCRIPTIVE_TITLE> {0:1}
+2 [CONT|CONC] <SOURCE_DESCRIPTIVE_TITLE> {0:M}
+1 ABBR <SOURCE_FILED_BY_ENTRY> {0:1}
+1 PUBL <SOURCE_PUBLICATION_FACTS> {0:1}
+2 [CONT|CONC] <SOURCE_PUBLICATION_FACTS> {0:M}
+1 TEXT <TEXT_FROM_SOURCE> {0:1}
+2 [CONT|CONC] <TEXT_FROM_SOURCE> {0:M}
+1 <<SOURCE_REPOSITORY_CITATION>> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

+1 <<ADDRESS_STRUCTURE>> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

SOURCE_RECORD:=

n @<XREF:SOUR>@ SOUR {1:1}
+1 DATA {0:1}
+2 EVEN <EVENTS_RECORDED> {0:M}
+3 DATE <DATE_PERIOD> {0:1}
+3 PLAC <SOURCE_JURISDICTION_PLACE> {0:1}
+2 AGNC <RESPONSIBLE_AGENCY> {0:1}
+2 <<NOTE_STRUCTURE>> {0:M}
+1 AUTH <SOURCE_ORIGINATOR> {0:1}
+2 [CONT|CONC] <SOURCE_ORIGINATOR> {0:M}
+1 TITL <SOURCE_DESCRIPTIVE_TITLE> {0:1}
+2 [CONT|CONC] <SOURCE_DESCRIPTIVE_TITLE> {0:M}
+1 ABBR <SOURCE_FILED_BY_ENTRY> {0:1}
+1 PUBL <SOURCE_PUBLICATION_FACTS> {0:1}
+2 [CONT|CONC] <SOURCE_PUBLICATION_FACTS> {0:M}
+1 TEXT <TEXT_FROM_SOURCE> {0:1}
+2 [CONT|CONC] <TEXT_FROM_SOURCE> {0:M}
+1 <<SOURCE_REPOSITORY_CITATION>> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 REFN <USER_REFERENCE_NUMBER> {0:M}
+2 TYPE <USER_REFERENCE_TYPE> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

SUBMISSION_RECORD:=

n @XREF:SUBN@ SUBN {1:1}
+1 SUBM @XREF:SUBM@ {0:1}
+1 FAMF <NAME_OF_FAMILY_FILE> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 ANCE <GENERATIONS_OF_ANCESTORS> {0:1}
+1 DESC <GENERATIONS_OF_DESCENDANTS> {0:1}
+1 ORDI <ORDINANCE_PROCESS_FLAG> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}

SUBMITTER_RECORD:=

n @<XREF:SUBM>@ SUBM {1:1}
+1 NAME <SUBMITTER_NAME> {1:1}
+1 <<ADDRESS_STRUCTURE>> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 LANG <LANGUAGE_PREFERENCE> {0:3}
+1 RFN <SUBMITTER_REGISTERED_RFN> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

ADDRESS_STRUCTURE:=

n ADDR <ADDRESS_LINE> {0:1}
+1 CONT <ADDRESS_LINE> {0:M}
+1 ADR1 <ADDRESS_LINE1> {0:1}
+1 ADR2 <ADDRESS_LINE2> {0:1}
+1 CITY <ADDRESS_CITY> {0:1}
+1 STAE <ADDRESS_STATE> {0:1}
+1 POST <ADDRESS_POSTAL_CODE> {0:1}
+1 CTRY <ADDRESS_COUNTRY> {0:1}
n PHON <PHONE_NUMBER> {0:3}

ASSOCIATION_STRUCTURE:=

SUBMISSION_RECORD:=

n @<XREF:SUBN>@ SUBN {1:1}
+1 SUBM @<XREF:SUBM>@ {0:1}
+1 FAMF <NAME_OF_FAMILY_FILE> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 ANCE <GENERATIONS_OF_ANCESTORS> {0:1}
+1 DESC <GENERATIONS_OF_DESCENDANTS> {0:1}
+1 ORDI <ORDINANCE_PROCESS_FLAG> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}

SUBMITTER_RECORD:=

n @<XREF:SUBM>@ SUBM {1:1}
+1 NAME <SUBMITTER_NAME> {1:1}
+1 <<ADDRESS_STRUCTURE>> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 LANG <LANGUAGE_PREFERENCE> {0:3}
+1 RFN <SUBMITTER_REGISTERED_RFN> {0:1}
+1 RIN <AUTOMATED_RECORD_ID> {0:1}
+1 <<CHANGE_DATE>> {0:1}

ADDRESS_STRUCTURE:=

n ADDR <ADDRESS_LINE> {0:1}
+1 CONT <ADDRESS_LINE> {0:M}
+1 ADR1 <ADDRESS_LINE1> {0:1}
+1 ADR2 <ADDRESS_LINE2> {0:1}
+1 CITY <ADDRESS_CITY> {0:1}
+1 STAE <ADDRESS_STATE> {0:1}
+1 POST <ADDRESS_POSTAL_CODE> {0:1}
+1 CTRY <ADDRESS_COUNTRY> {0:1}
n PHON <PHONE_NUMBER> {0:3}

ASSOCIATION_STRUCTURE:=

n ASSO @<XREF:INDI>@ {0:M}
+1 TYPE <RECORD_TYPE> {1:1}
+1 RELA <RELATION_IS_DESCRIPTOR> {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 <<SOURCE_CITATION>> {0:M}

CHANGE_DATE:=
n CHAN {1:1}
+1 DATE <CHANGE_DATE> {1:1}
+2 TIME <TIME_VALUE> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}

CHILD_TO_FAMILY_LINK:=
n FAMC @<XREF:FAM>@ {1:1}
+1 PEDI <PEDIGREE_LINKAGE_TYPE> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}

EVENT_DETAIL:=
n TYPE <EVENT_DESCRIPTOR> {0:1}
n DATE <DATE_VALUE> {0:1}
n <<PLACE_STRUCTURE>> {0:1}
n <<ADDRESS_STRUCTURE>> {0:1}
n AGE <AGE_AT_EVENT> {0:1}
n AGNC <RESPONSIBLE_AGENCY> {0:1}
n CAUS <CAUSE_OF_EVENT> {0:1}
n <<SOURCE_CITATION>> {0:M}

n <<MULTIMEDIA_LINK>> {0:M}
n <<NOTE_STRUCTURE>> {0:M}

FAMILY_EVENT_STRUCTURE:=

n ASSO @<XREF:INDI>@ {0:M}
+1 RELA <RELATION_IS_DESCRIPTOR> {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 <<SOURCE_CITATION>> {0:M}

CHANGE_DATE:=
n CHAN {1:1}
+1 DATE <CHANGE_DATE> {1:1}
+2 TIME <TIME_VALUE> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}

CHILD_TO_FAMILY_LINK:=
n FAMC @<XREF:FAM>@ {1:1}
+1 PEDI <PEDIGREE_LINKAGE_TYPE> {0:1}
+1 <<NOTE_STRUCTURE>> {0:M}

EVENT_DETAIL:=
n TYPE <EVENT_DESCRIPTOR> {0:1}
n DATE <DATE_VALUE> {0:1}
n <<PLACE_STRUCTURE>> {0:1}
n <<ADDRESS_STRUCTURE>> {0:1}
n AGE <AGE_AT_EVENT> {0:1}
n AGNC <RESPONSIBLE_AGENCY> {0:1}
n CAUS <CAUSE_OF_EVENT> {0:1}
n <<SOURCE_CITATION>> {0:M}

+1 <<NOTE_STRUCTURE>> {0:M}
+1 <<MULTIMEDIA_LINK>> {0:M}
n <<MULTIMEDIA_LINK>> {0:M}
n <<NOTE_STRUCTURE>> {0:M}

FAMILY_EVENT_STRUCTURE:=

```

[
n [ ANUL | CENS | DIV | DIVF ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ ENGA | MARR | MARB | MARC ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ MARL | MARS ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EVEN {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]

```

INDIVIDUAL_ATTRIBUTE_STRUCTURE:=

```

[
n CAST <CASTE_NAME> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n DSCR <PHYSICAL_DESCRIPTION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EDUC <SCHOLASTIC_ACHIEVEMENT> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n IDNO <NATIONAL_ID_NUMBER> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n NATI <NATIONAL_OR_TRIBAL_ORIGIN> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n NCHI <COUNT_OF_CHILDREN> {1:1}

```

```

[
n [ ANUL | CENS | DIV | DIVF ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ ENGA | MARR | MARB | MARC ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ MARL | MARS ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EVEN {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]

```

INDIVIDUAL_ATTRIBUTE_STRUCTURE:=

```

[
n CAST <CASTE_NAME> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n DSCR <PHYSICAL_DESCRIPTION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EDUC <SCHOLASTIC_ACHIEVEMENT> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n IDNO <NATIONAL_ID_NUMBER> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n NATI <NATIONAL_OR_TRIBAL_ORIGIN> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n NCHI <COUNT_OF_CHILDREN> {1:1}

```



```
+1 <<EVENT_DETAIL>> {0:1}
|
n NMR <COUNT_OF_MARRIAGES> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n OCCU <OCCUPATION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n PROP <POSSESSIONS> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n RELI <RELIGIOUS_AFFILIATION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n RESI {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n SSN <SOCIAL_SECURITY_NUMBER> {0:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n TITL <NOBILITY_TYPE_TITLE> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]
```

INDIVIDUAL_EVENT_STRUCTURE:=

```
[
n [ BIRT | CHR ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
+1 FAMC @<XREF:FAM>@ {0:1}
|
n [ DEAT | BURJ | CREM ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
```

```
+1 <<EVENT_DETAIL>> {0:1}
|
n NMR <COUNT_OF_MARRIAGES> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n OCCU <OCCUPATION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n PROP <POSSESSIONS> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n RELI <RELIGIOUS_AFFILIATION> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n RESI {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n SSN <SOCIAL_SECURITY_NUMBER> {0:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n TITL <NOBILITY_TYPE_TITLE> {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]
```

INDIVIDUAL_EVENT_STRUCTURE:=

```
[
n [ BIRT | CHR ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
+1 FAMC @<XREF:FAM>@ {0:1}
|
n [ DEAT | BURJ | CREM ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
```

```

|
n ADOP [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
+1 FAMC @<XREF:FAM>@ {0:1}
+2 ADOP <ADOPTED_BY_WHICH_PARENT> {0:1}
|
n [ BAPM | BARM | BASM | BLES ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ CHRA | CONF | FCOM | ORDN ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ NATU | EMIG | IMMI ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ CENS | PROB | WILL] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ GRAD | RETI ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EVEN {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]

```

LDS_INDIVIDUAL_ORDINANCE:=

```

[
n [ BAPL | CONL ] {1:1}
+1 STAT <LDS_BAPTISM_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}

```

```

|
n ADOP [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
+1 FAMC @<XREF:FAM>@ {0:1}
+2 ADOP <ADOPTED_BY_WHICH_PARENT> {0:1}
|
n [ BAPM | BARM | BASM | BLES ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ CHRA | CONF | FCOM | ORDN ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ NATU | EMIG | IMMI ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ CENS | PROB | WILL] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n [ GRAD | RETI ] [Y|<NULL>] {1:1}
+1 <<EVENT_DETAIL>> {0:1}
|
n EVEN {1:1}
+1 <<EVENT_DETAIL>> {0:1}
]

```

LDS_INDIVIDUAL_ORDINANCE:=

```

[
n [ BAPL | CONL ] {1:1}
+1 STAT <LDS_BAPTISM_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}

```

```
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
|
n ENDL {1:1}
+1 STAT <LDS_ENDOWMENT_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
|
n SLGC {1:1}
+1 STAT <LDS_CHILD_SEALING_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 FAMC @<XREF:FAM>@ {1:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
]
```

```
LDS_SPOUSE_SEALING:=
n SLGS {1:1}
+1 STAT <LDS_SPOUSE_SEALING_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
```

```
MULTIMEDIA_LINK:=
[ /* embedded form*/
```

```
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
|
n ENDL {1:1}
+1 STAT <LDS_ENDOWMENT_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
|
n SLGC {1:1}
+1 STAT <LDS_CHILD_SEALING_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 FAMC @<XREF:FAM>@ {1:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
]
```

```
LDS_SPOUSE_SEALING:=
n SLGS {1:1}
+1 STAT <LDS_SPOUSE_SEALING_DATE_STATUS> {0:1}
+1 DATE <DATE_LDS_ORD> {0:1}
+1 TEMP <TEMPLE_CODE> {0:1}
+1 PLAC <PLACE_LIVING_ORDINANCE> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
```

```
MULTIMEDIA_LINK:=
[ /* embedded form*/
```

```
n OBJE @<XREF:OBJE>@ {1:1}
| /* linked form*/
n OBJE {1:1}
+1 FORM <MULTIMEDIA_FORMAT> {1:1}
+1 TITL <DESCRIPTIVE_TITLE> {0:1}
+1 FILE <MULTIMEDIA_FILE_REFERENCE> {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
]
```

```
n OBJE @<XREF:OBJE>@ {1:1}
| /* linked form*/
n OBJE {1:1}
+1 FORM <MULTIMEDIA_FORMAT> {1:1}
+1 TITL <DESCRIPTIVE_TITLE> {0:1}
+1 FILE <MULTIMEDIA_FILE_REFERENCE> {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
]
```

NOTE_STRUCTURE:=

```
[
n NOTE @<XREF:NOTE>@ {1:1}
+1 <<SOURCE_CITATION>> {0:M}
|
n NOTE [SUBMITTER_TEXT> | <NULL>] {1:1}
+1 [ CONC | CONT ] <SUBMITTER_TEXT> {0:M}
+1 <<SOURCE_CITATION>> {0:M}
]
```

NOTE_STRUCTURE:=

```
[
n NOTE @<XREF:NOTE>@ {1:1}
+1 SOUR @<XREF:SOUR>@ {0:M}
|
n NOTE [<SUBMITTER_TEXT> | <NULL>] {1:1}
+1 [ CONC | CONT ] <SUBMITTER_TEXT> {0:M}
+1 SOUR @<XREF:SOUR>@ {0:M}
]
```

PERSONAL_NAME_STRUCTURE:=

```
n NAME <NAME_PERSONAL> {1:1}
+1 NPFX <NAME_PIECE_PREFIX> {0:1}
+1 GIVN <NAME_PIECE_GIVEN> {0:1}
+1 NICK <NAME_PIECE_NICKNAME> {0:1}
+1 SPFX <NAME_PIECE_SURNAME_PREFIX> {0:1}
+1 SURN <NAME_PIECE_SURNAME> {0:1}
+1 NSFX <NAME_PIECE_SUFFIX> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
```

PERSONAL_NAME_STRUCTURE:=

```
n NAME <NAME_PERSONAL> {1:1}
+1 NPFX <NAME_PIECE_PREFIX> {0:1}
+1 GIVN <NAME_PIECE_GIVEN> {0:1}
+1 NICK <NAME_PIECE_NICKNAME> {0:1}
+1 SPFX <NAME_PIECE_SURNAME_PREFIX> {0:1}
+1 SURN <NAME_PIECE_SURNAME> {0:1}
+1 NSFX <NAME_PIECE_SUFFIX> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+2 <<NOTE_STRUCTURE>> {0:M}
+2 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
```

PLACE_STRUCTURE:=

n PLAC <PLACE_VALUE> {1:1}
+1 FORM <PLACE_HIERARCHY> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}

SOURCE_CITATION:=

[
n SOUR @<XREF:SOUR>@ /* pointer to source record */ {1:1}
+1 PAGE <WHERE_WITHIN_SOURCE> {0:1}
+1 EVEN <EVENT_TYPE_CITED_FROM> {0:1}
+2 ROLE <ROLE_IN_EVENT> {0:1}
+1 DATA {0:1}
+2 DATE <ENTRY_RECORDING_DATE> {0:1}
+2 TEXT <TEXT_FROM_SOURCE> {0:M}
+3 [CONC | CONT] <TEXT_FROM_SOURCE> {0:M}
+1 QUAY <CERTAINTY_ASSESSMENT> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
| /* Systems not using source records */
n SOUR <SOURCE_DESCRIPTION> {1:1}
+1 [CONC | CONT] <SOURCE_DESCRIPTION> {0:M}
+1 TEXT <TEXT_FROM_SOURCE> {0:M}
+2 [CONC | CONT] <TEXT_FROM_SOURCE> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
]

SOURCE_REPOSITORY_CITATION:=

[
n REPO @XREF:REPO@ {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 CALN <SOURCE_CALL_NUMBER> {0:M}

PLACE_STRUCTURE:=

n PLAC <PLACE_VALUE> {1:1}
+1 FORM <PLACE_HIERARCHY> {0:1}
+1 <<SOURCE_CITATION>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}

SOURCE_CITATION:=

[
n SOUR @<XREF:SOUR>@ /* pointer to source record */ {1:1}
+1 PAGE <WHERE_WITHIN_SOURCE> {0:1}
+1 EVEN <EVENT_TYPE_CITED_FROM> {0:1}
+2 ROLE <ROLE_IN_EVENT> {0:1}
+1 DATA {0:1}
+2 DATE <ENTRY_RECORDING_DATE> {0:1}
+2 TEXT <TEXT_FROM_SOURCE> {0:M}
+3 [CONC | CONT] <TEXT_FROM_SOURCE> {0:M}
+1 QUAY <CERTAINTY_ASSESSMENT> {0:1}
+1 <<MULTIMEDIA_LINK>> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
| /* Systems not using source records */
n SOUR <SOURCE_DESCRIPTION> {1:1}
+1 [CONC | CONT] <SOURCE_DESCRIPTION> {0:M}
+1 TEXT <TEXT_FROM_SOURCE> {0:M}
+2 [CONC | CONT] <TEXT_FROM_SOURCE> {0:M}
+1 <<NOTE_STRUCTURE>> {0:M}
]

SOURCE_REPOSITORY_CITATION:=

[
n REPO @<XREF:REPO>@ {1:1}
+1 <<NOTE_STRUCTURE>> {0:M}
+1 CALN <SOURCE_CALL_NUMBER> {0:M}

+2 MEDI <SOURCE_MEDIA_TYPE> {0:1}

SPOUSE_TO_FAMILY_LINK:=

n FAMS @<XREF:FAM>@ {1:1}

+1 <<NOTE_STRUCTURE>> {0:M}

+2 MEDI <SOURCE_MEDIA_TYPE> {0:1}

SPOUSE_TO_FAMILY_LINK:=

n FAMS @<XREF:FAM>@ {1:1}

+1 <<NOTE_STRUCTURE>> {0:M}

This comparison was made by Bob Coret and published with the blog article “Which GEDCOM 5.5 grammar is correct?” on 31 December 2014 (<http://blog-en.coret.org/2014/12/which-gedcom-55-grammar-is-correct.html>).